



MCB makes sure you know which of your employees are available and dispatch them where you need the job done, no matter how you call this job.


You can prepare itineraries for scheduled work with both MCB plug-in for SECURITHOR or the stand alone version MCB Go!

It's not limited to Guards and Patrolmen. Use itineraries for Delivery Men, Alarm System Installers, Maintenance Staff, Repairmen, Visiting Nurses, School Bus pickup routes etc.. Organize routes for them and get checkpoint arrival confirmations, reports, picture or video proof.

Multiple features give you control on your mobile staff such as vehicle pairing and Geofencing of both authorized and forbidden zones.

Confirm your staff presence with automatic reports to your customers including both geolocation and confirmation of NFC or QR code scans.

Report of Samedi by Sheldon Cooper



WRITE REPORT

Checkpoints

5650 St-Andre

[333B, 0] - MCDI Da Rosem... 5650 St-Andre

> [3333,1] - LLLozeau 6229 St-Hubert

[3333, 2] - Renaud-Bray 6255 St-Hubert

[3334, 0] - St-Hubert Express 6359 St-Hubert









The MCB app

MCB is the multi tool your mobile staff needs. It does much more than a guard wand! It's the vital link between your base station and mobile staff.

MCB app is not just a tracker for your staff. It's a way to communicate missions, itineraries, and get your staff reports which include videos and pictures.

Connect up to 200 staff members to MCB by using the free MCB Android app.



Your Crew uses the MCB app to scan NFC tags, barcodes or QR codes for double confirmation of presence at visited site.

Languages

MCB app is available in English, Arabic, Español, Filipino, Français, German, Greek, Hindi, Indonesian, Malaysia (Bahasa), Norwegian, Português, Romanian, Swedish, Ukrainian and Vietnamese. Contact us to add languages.



Not only for Guards and Patrols!

Every company with mobile staff can use MCB.

MCB for SECURITHOR and MCB Go! will work for all your Mobile Staff no matter if they are doing pickup routes, school bus runs, delivering medication, equipment servicing, customer visits, building management, cleaning offices or security interventions.

Simply track your employees with the MCB app in their Android phone. View where they are on the map and send them jobs, either on demand or on schedule.




MCB Go! is designed to manage your mobile staff and does not need job transfer from the SECURITHOR Monitoring Software. It works completely stand alone without the SECURITHOR Monitoring Software.


Minus the alarm event transfer, MCB Go! has the same functionalities as the SECURITHOR Plug-in: track employees, send them missions or itineraries and get their confirmation of presence. Plus it also uses the same free MCB and TCB apps.


All the geofencing, QR code/NFC tags scanning, vehicle pairing, Reports with pictures/videos from staff are present in MCB Go!



















Where's W ?




geofencing notifications appears when entering a forbidden zone or when leaving an authorized one.

GEOFENCING: IN OR OUT


Draw zones on a map to assign staff members to a location. You will know if employees arrive on time and if they stay at their posting. Both base station and staff know because they get notifications when one steps out of an authorized zone.


Select forbidden zones to prevent unauthorized visits or to enforce allocated territories. Both type of geofencing are easily set on a map with drawing tools.

Forbidden zones show clearly in red



Authorized zone in MCB app shows in green





I'm here!

Prove your service provision to your customers by automatically sending visit reports (email or sms). Reports include geolocation data, staff report with on site pictures and videos.

Double your proof with QR codes or NFC tags scanned at checkpoints or delivery/pickup sites. They are included in the email/sms report that is sent to the customer or supervisor.

Need to know

who was where at midnight?
where did your staff go today?
who was the nearest to your customer at 13h00?


You can find this information in MCB and offer a proof of presence to your customers.

Confirm presence with MCB

Each staff member is tracked along his journey. No matter if it's on the way to a Checkpoint or when scanning a tag. You can query their route to a location or get their location at a specific time. Place NFC tags to confirm your staff presence at checkpoints or on equipment to service.


Email or SMS visit reports

MCB will send an email each time a checkpoint visit is completed. Use this feature to send a quick report to supervisors or customers. Email confirms location, report written by your staff, which NFC or QR code was scanned along with a link to view picture or videos taken by staff at the checkpoint location. Best way to prove your services!



DOUBLE VERIFICATION


Add NFC tags, Barcodes or QR Codes




Place NFC tags, barcodes or QR codes to confirm your staff presence at checkpoints or at equipments to service. You can also request in-app signature from customers.

Using their phone and MCB app, staff members are required to scan NFC or QR. This makes a double verification added to the geolocation recorded.

Scanning a tag insures the employee goes to all floors or visits every room required in a tour. It also forces staff to go to the end of a room or verify a back room. Stay duration at site are also enforced by MCB app.



Scanning a tag affixed to equipment confirms the machine been worked on, a delivery site, a pick up site.





SECURITHOR and **MCB Mission Control Board** are key parts of your business and MCDI, the maker of your SECURITHOR delivers expert assistance.

No one can troubleshoot and work faster in your SECURITHOR than the experts that made it. No matter if it's for routine maintenance or for getting you back on track in case of an emergency.

With over 25 years of developing, maintaining and supporting software wolrdwide, we can be as effective as having an engineer on site.

Plus our support coverage plans are the only way to get updates that bring you not only conformity to a changing environment but also new features coming with each update. This ensures your Alarm Receiving Centre stays up-to-date <u>and</u> competitive.

Sometimes it takes more than just turning it on and off again

What's included?

Maintenance of database

You would not drive your car without periodically changing the oil? Maintenance of your database is as important. Your database is a living thing, growing with each account you add and with each alarm signals. Operations such as vacuum, resizing, archiving, splitting, and SQL updates are important to keep your SECURITHOR and MCB Mission Control Board applications performing at peak level. These operations are all performed as part of the support coverage.

Software updates

Updates are a key part of the support coverage plan and guarantee you will be running the latest version of SECURITHOR. With each update, we provide new features and also revise old ones to make them better. We also adjust the software when environmental changes are needed such as Windows updates and security patches. Each major update brings at least 20 new features and improvements. New integrations of manufacturers are all parts of updates either in core Securithor or add-modules.

More training

On SECURITHOR and MCB: for your operators, your supervisors or for your sysadmin. We tailor training to your needs.

Consultation

For configuration, usage, expanding or adding new features or services.

Troubleshooting

Sorting out communication with new receivers or new types of devices. MCDI staff has over 25 years of experience working with receivers, servers and security devices.

Emergency help and disaster recovery

SECURITHOR and MCB are often a key component of your business and no one can get you back on your feet faster and better than MCDI. Avoid waisting time with administrative delays. Having a support plan is the only way to get immediate help,



No matter if it's a failed hard drive or if you need to restart at an alternate location, we can help. Knowing that expert assistance is available if you need it will give you peace of mind and the assurance you need for business continuity.



SPECIFICATIONS

DT42/DT42m

Alarm receivers

DT42ip receiver, alarms over IP

DT42ipm receiver, alarms over IP and phone lines DT42qb receiver, alarms over IP + Guardbooth features DT42HV High Volume IP receiver (special projects only) Power supply: 100-240V AC input 50-60Hz, output 5Vdc 2.4A

Consumption:

DT42/DT42qb: typical less than 1.1A 5VDC DT42m/DT42qbm: typical less than 1.2A 5VDC

Communication:

DT42gb: Ethernet, USB, serial

DT42m/gbm: Ethernet, USB, serial, pstn

5.720" L x 5.750" W x 1.635":H (excluding connectors and rubber feet) Rack-mount width 19 inches, height: 1U, 6.5 in deep

Finish: bright orange enamel, black serigraphy.

Android app: 8+ with notifications enabled. Access to Google Notifica-

Formats and brands supported

3PX AR-535 4G ALTEC ATLS Switch'GSM IP

Ajax Hub (2019+ models or older with updated firmware)) AMC Flettronica

ARTEC AR88 ARTIFEEL Check'In AVS electronics Starlink 4G

Bosch 6512 Cirrus 4T

Climax TW CROW Sheperd Cloud

CSV IP (limited application) Digiflex Bosch

Eldes/Eldes Kronos Focus/MEIAN STIII FC-7688plus

GSD Global Security Devices
Hikvision AXIOM, AX Pro (alarms only)

INIM Smart Living, Prime

Jablotron Cloud Kerui/Wolfgard G9B0 King Pigeon G5

Knookbox

Ksenia Mars-Commerce Zeus

MEGA-X Maxtechnologies

MyAlam Asia-Pacific Europa

M2M Services Bulgaria- America-México

MOBYLINK Nookhox Nanocomm (nanomir)

NAV87XX

NETIO Novation Security Optex Genio ST/Genio Advance

PIMA Force Series PIMAlink 3.0

Pyronix ENIP

Risco Cloud (Alarms only) Risco Agility, Lightsys 1 SIA

Roel Multicomm, CERBER, Xguard IP

SATEL gprs-a/gsm-x SECOLINK Pas816, GSV5, GSV6U

Scientech TW Sigma GR SUPA L 16 Tecnoalarm

Telesianal Trikdis G09/G10/G16/G17/ SP231

TOPKODAS GTalarm2, GTCOM2, GTM1

TEXECOM Monitor

Vanderbilt Flex C (special license) Wolf Safety (Italia) SIA DC-09 2007 TCP/UDP SIA DC-09 2011 TCP/UDP SIA DC-09 2012 draft TCP/UDP SIA DC-09 2013 TCP/UDP SIA DC-09 2017 TCP/UDP

SIA DC-09 2021 TCP/UDP (dec 2021)

On request, without tech support: 3i NX1/NX2, Paradox IPDOX, VdS (Abus

Verify connection details with MCDI as they can vary by model within the same brand. Ports opening and forward to DT42 according to alarm formats and usage. Number of sites supported varies according to reporting frequency and encryption level. Consult with MCDI for more information.

Memory 12,000,000 events stored in DT42. Equipped with a removable micros SD card for logging. Logs can be downloaded to PC over ethernet.

Languages Configuration interface in French, English, Portugues, Span-

DT42 is backed by MCDI SP 2 years limited warranty. Programming updates are free during the warranty period.

DT42 is reporting in standardized formats to most Automation Software on the market including SECURITHOR V2. SECURITHOR V1. WinSAMM. SAMM. A-trag. Bold Gemini, Bold Manitou, Central Works, MAS. Microkey, Patriot, SIS, SIMS. Direct IP connection to third party software available with supplied component.

DT42 reports to Securithor 2.31+ in MLR2/2000 with SIA extended

DT42 specifications are for version 2 and for units shipped as of May 2019

MCB Mission Control Board 2.40

As a plug-in for Securithor or stand alone module MCB Go!

MCB Mission Control Board

Workforce Track and Dispatch. Configurations:

MCB as a plug-in for Securithor: 10,25,50,100 users MCB Go! Stand alone application: 25,50,100 users

Technical requirements

MCB Android app 10+. 100MB space. GPS capacity and Internet connection for communication to station.

Bandwidth according to size of information transferred.

Bandwidth according to size of information transferred.

Station requirements (PCB application, staff of 10, no other application sharing PC with PCB to the exception of SECURITHOR FOR MCB plug-in): Minimum for trial: i3. 4GB ram. 10GB HDD for installation. Hostname or static IP. One port dedicated and forwarded to PCB PC

Contact MCDI for production requirements as they vary according to usage and number of connected staff.

Compatible outgoing mail server and ftp space for checkpoint notifi-

NFC tag use requires compatible phone with NFC reader and compatible NFC tags. QR code scan requires compatible phone with camera and Android QR code resources.

MCB app uses phone's gps-a system for geolocation and geofencing. Must be enabled at all time preferably with fine location enabled.

Internet connectivity and link to MCB Server must be insured at all time for optimal use. Some feature might not work without internet connectivity

Phone's camera use requires accepting relevant permissions. Some feature may not apply to

Geocoding and Display of maps require maintaining a Securithor support plan.

SECURITHOR MONITORING SOFTWARE

Configurations

Single PC: STL Starter kit

ST1 SECURITHOR V2 one station, unlimited accounts

NETWORK EDITION:

STS Server license

STWx Workstation license according to number selected.

SECURITHOR Add-on Modules (options)

APS X Assistance app for iPhone and Android.

Compatible with Android 7+ and iOS 10+ Individual phones not supported.

Functions of the iOS and Android apps differ due to Apple privacy policies. Some functions are not available on iOS

Interface Communication and alarm receiving Bosch CBS, CAMECT, Crow Cloud, Davantis DAVIEW, EBS OSM Vision, EPCOM Cloud, Frontel Videofied, Hanwha Wisenet, Hikvision AXPRO, Manythings, Monitoreal, Risco Cloud, ULTINOUS, Visonic Visnap (with MCDI VOD) Visonic Power Manage. Subscription with third part services may be required, not included.

For SDK integrations (Devices to SECURITHOR): Video feed recording Pre-alarm opening (setting per device)

Screenshot capture on demand.

.External jump http link, rtp, rtsp, jump to external windows app As courtesy, without technical support: Cubitech, Elmo, Hik-Connect, Hik-Proconnect, ONVIF, IDIS, TVT, Uniview.

Update of third part cameras, devices DVRs via Securithor update. Some brands are offered 'As it is' without technical support or guarantee of fitness. Contact MCDI to get the camera matrix list



Bluetooth button offered as recreational or convenience purposes. Range and connection according to Bluetooth environmental capacity at site of use and characteristics of phone and battery capacity. Geocoding and Display of maps for Rendez-Vous. APS signals and Panic from MCB requires maintaining a Securithor support plan.

CAM/CAM Premium

STL: CAM and CAM Premium are options ST1/STS: CAM included, CAM Premium as option

CAM module

Devices to ST: Hikvision, Dahua, EPCOM Automatic opening of provisioned video feed with pre-alarm

Video feed recording. Audit trail for activation without prior alarm signal.

Pre-alarm per device for SDK integrations.

Screenshot on demand for MCDI Viewer. Control of zoom, iris, focus, ptz, 2 way audio, relays (when applicable) External jump http link, rtp, rtsp, jump to external windows app

CAM Premium

All in CAM module plus the following: .CAM I istener for direct Hikvision and Dahua device alarms. .Reference images tool in selected MCDI Viewers. .SDK Integration: Dahua, Focus H&S, Hikvision, IDIS, TVT, Vivotek. Video (optional modules, third part software not included) .Bridge to ACC Avigilon 4/5/6. Alarm receiving from ACC, Bridge to ACC. .Bridge to Frontel from Videofied

Web Access for staff, alarm system installer. Server + number of channels (# of concurrent access) Server installed by MCDI in Windows environment.

As services:

Push Notification Service WAM Web Access Module for Subscribers

Hosting by MCDI, pricing according to number of accounts in Securithor Requires port opening and forwarding to SECURITHOR.

Push notification app Android app: 8+ iPhone: iOS 12+

Prog 1 products for SECURITHOR

.Customized installation (db on Linux Server) .Outbound reporting as receiver .Push Notification and Verification Services

.Web Access Module .App personalization .Dedicated support plans .Interface with Odoo CRM .WhatsAPP integration .MVP Map View and Plans

SECURITHOR Minimum Requirements

To operate trial: Intel process i3, 8GB Memory, 50GB space on disk

To operate for production:

Contact MCDI as minimum requirement vary according to usage and

OS: Securithor user interface can operate under Genuine Windows 10 or 11, .net framework 4.6.2. required.

Server license: compatible with Genuine Windows 10, 11, 2012, 2016, 2019. Pro version recommended with latest update, .net framework 4.6.2 required.

Fmail and SMS

SMS notification works with third part compatible modem not supplied with Securithor. As of July 2022, 2 models are crecomnneded and suported: Lantronix M110 family and Mars-Commerce. Number of modems and gateway capacity must be sufficient to handle traffic generated by Securithor.

Email notification requires a third part compatible outgoing mail server not supplied with Securithor. TLS 1.1 and 1.2 required. Server capacity per second/minute/hour/day must be sufficient for traffic generated. No write/read receipt management.

MVP MAP VIEW AND PLANS

Optional plug-in Module for SECURITHOR, A Prog1 product. Minimum requirements:

Windows 1 pro . 11 Pro 64 bit

For display of maps: recent quad i7 with fast video card. 16GB RAM, 8GB Memory dedicated to video.

SSD disk with write speed over 1000MBps. Access to camera tributary of SECURITHOR cam license and viewer.

MVP is not intended to process large volume of alarm signals. Securithor traffic should be preferred for this task. Map display requires maintaining a Securithor support plan.

Push Notification/Verification Service: VERIFICATHOR

Product designed and maintained by tech partner Prog 1 Connects SECURITHOR to Push Notification system by Apple, Google. Yearly service by Prog 1.

Requires stable and continuous internet connection to Prog 1 server. Bandwidth according to traffic.

VERIFICATHOR app available for Android and iOS (iPhone and iPad). Provisioning via STnet for ARC identification 2 service levels: Notification (one way) and Verification (2 ways).

EXPRECIUM D - DECRYPTA4 pstn receivers Products discontinued as of May 2023

Communications (Ed and D4)

Pulse Frequency: 1800Hz / 1900Hz

2 RJ11 type jacks for connection of phone line

Type: Pulse, DTMF, FSK Reception Speed: 10, 20, 40 pps DR / CS Handshake and Kiss-off: 1400Hz /2300Hz/2225Hz

Reception Formats supported (Ed and D4):

Radionics 6500 Radionics extended Ademco: Sescoa Slow, Super Fast - Contact ID; Sescoa Standard - Fxtended: Silent Knight Slow Fxpress: High Speed Napco Point ID FBI Super Fast BFSK,CFSK, VFSK)

∆v1 3x1 extended 4x1 extended 3x1 extended compressed 4x2 4x1 extended compressed 4x2 Zero removed 3x1, 4x1, extended

Optex's Varitech All boards are delivered with Bell 103 on both lines

Reporting protocols to Automation Software

Output as MCDI. SG MLR2 or Ademco 685. Some formats are not available to all reporting protocols.

Printer Output:

Exprecium D supports Epson T Family POS printer through Serial communication. Designed for Epson T88V USB and Epson LX 300 families. Converters not supported.

Power Requirements:

From computer +12V Supply: 225 mA typ. From 12V Battery (standby): 225 mA typ.

Station Requirements:

PC chassis with 12V electrical supply though PCI or PCI-E bus with full length PCI or external 12Vdc power supply

Signal: USB 1.1/2.0/3.0 or Serial port.

Configuration tool: PC running OS allowing installation of .NET 3.5 such as Windows XP, 2003, Vista, Server 2008r2, 2012, Windows 7, 8. 8.1

DECRYPTA 4 phone line receiver

Power Requirements:

Auto reboot upon power restore. From 9-12V DC Battery/ Power Supply: 250mA with fall-over management. Included power supply: 96-240V auto-ranging, IEC13 power cord to wall outlet.

Energy saving automatically switches LCD backlight when switching to

D4 is fitted with an internal relay to trigger externally powered devices

tacts, on D4 back for normally open and normally close positions. Relays triggered each time an alarm signal is received by D4. Relay maximum current 30VDC 1A max.

such as a visual indicator, strobe light or siren. Terminal posts, dry con-

Station Requirements

D4 can be configured and operated without PC by menus on front display in English, French, German, Italian, Portuguese, Russian and Spanish.

Configuration by PC through USB or serial port, PC configuration tools requires installation of Microsoft .NET 3.5 framework supplied on D4 CD. PC configuration tool in Arabic, English, Farsi, French, Italian, Portuguese, Russian and Spanish. POS printer of compatible with Epson T family Designed to use with Epson T88V.

Caller ID service must be provided by Telco (Bellcore type 1 or compatible ETSI types) for Calling phone number to display.

Warranty Exprecium d and D4 are covered by a one year limited warranty. PSTN signal integrity must be sufficient for signal analysis by receiver. No troubleshooting offered for onsite phone lines. Certification in controlled environment offered when returned post paid to MCDI.

DRIVERS AND COMMUNICATION

USB drivers supplied 7, 8, Server 2012. Serial communication with DOS, Linux, and Windows. D4 can be configured and operated without PC or with PC using OS with .net 3.5 enabled.

Warranty period: 1 year limited warranty for Ed and D4.

Programming updates are free during the warranty period. Power surges from phone lines are specifically excluded. Wired pstn phone line required on both signal sending and receiving ends. Requires signal integrity at receiving end. Individual signal quality troubleshooting not performed nor provided by MCDI.

Rohs compliant, FCC, IC, CE, TBR21, EN50136

All requirements are subject to change without further notice. Some requirements should be adjusted according to usage. Minimum requirements may be higher if usage differs from standard operations. Consult MCDI to validate operational requirements

All requirements are stated for stand alone operation or MCDI products without sharing resources with other applications or equipment

All software products specifications are made with assumption that a genuine Windows OS is used maintained and undated All software products require admin user and a standard Windows without modification of reg-

istry, configuration and security level

All specifications valid for equipments and software made after August 2022.

PRO CENTRES:

Worldwide

MCDI Security Products Inc. 6556 boul, MONK Montréal QC Canada English speaking line: 1-514-481-1067 Spanish speaking line: 1-514-487-0441 securithor@mcdi.com www.mcdi.com



SECURITHOR <> Odoo Solution

AARSOL Private Limited

Technological partner for Odoo integration 3401, 3rd Floor, National Science & Technology Park Islamabad 44000 PAKISTAN Cell 00923444440196 ghulam.rasul@aarsol.com aarsol.com/securithor

EUROPE

+Angola, Brasil, Cabo Verde, Equatorial Guinea, Bissau Macau, Moçambique, São Tomé and Príncipe

SANCO Produtos Electrónicos

Sérgio Lapa +351 223 710 845 Rua dos Lagos, 545, 4405 - 875 Vila Nova de Gaia, PORTUGAL sanco@sanco.pt www.sanco.pt



Æ

MEXICO



En la República Mexicana: Teléfono: 01 614 415-2525 En Estados Unidos Teléfono: +1 915 533-5119 Ave. 20 de Noviembre #805 Chihuahua, Chih. C.P.31000 Méx. Internacionales: (52)+(614)+15-25-25 www.syscom.com.mx ventas@syscom.com.mx

SOUTH EAST ASIA


Australia, Brunei, Cambodia, Indonesia, Malaysia, New Zealand, Philippines, Singapore, Thailand, Vietnam

STRATEL (M) Sdn Bhd



S.E.A. MASTER DISTRIBUTOR Hazwan Hanafi

Product Specialist at Stratel (M) Sdn Bhd WhatsApp/Tel: +6012 283 1848 hh@mcdi.com 12 Jalan Teknologi 3/3A, Surian Industrial Park, Kota Damansara PJU5 47810 Petaling Jaya, Malaysia Tel: + 60 3 6157 1848



Sudamérica Todos los países

MCDI Do México En Español: +514-487-0441 México: +52 618 825 4493 ventas@mcdi.com



ARGENTINA, URUGUAY

FIFSA S.R.L. Av. De Los Incas 4154/56 Buenos Aires Argentina

(C1427DNT) Capital Federal Tel (54 11) 4551-5100 ventas@fiesa.com.ar

AZERBAIJAN

A+A Security LLC

24-B, Akhmed Bey Aga oqlu st., Baku, AZ-1008, Republic of Azerbaijan Tel.: +99412 480 54 84 (ext. 417) ali.g@aplusa-security.com http://www.aasecurity.az

BOLIVIA

DSS Digital Security Systems

Calle Joaquín de Velasco #444 Esq. Tel: +591 3 335 3800 dss.com

CANADA. FRANCE

and Caribbean, West Indies, Caraibes et Antilles françaises, Guyane Française, Haiti, Martinique, Guadeloupe



MCDI Security Products inc. Montréal HQ

PROG 1 inc.

Montréal QC Canada

Technological partner for add-on modules: Verificathor, WhatsApp, MVP, DT42HV, STC, API

CENTRAL AMERICA

Belize, Cuba, Dominicana, Guatemala, Guyana, Honduras, Nicaragua, Panama, Surinam, Venezuela

EPCOM International Sales Dept. En Español Oficinas en El Paso, Miami, Chihuahua p. +(305)889 1127, +(915)533 5119

w. www.epcom.net , www.syscom.mx

MCDI De México Durango México

En Español: +514-487-0441 México: +52 618 825 4493 ventas@mcdi.com

CHILE

Videovision

Fonos (02) 2848 48 69 Direccion: Joaquin Walker Martinez 3520 -Ñuñoa – Santiago – Chile mauricio.rodriguez@videovision.cl www.videovision.cl

COLOMBIA

SYSCOM Colombia

Cra 90A Nº 64C38 Álamos Norte SYSCOM Oficina: +57 (1)7443650 www.syscomcolombia.com ventas@syscomcolombia.com

COSTA RICA

INTRADE ABC

Sabana Norte, Edif. ICE 200 Norte 100 E. San José, Costa Rica TEL: (506)290 4604 edgar@intradeabc.com

DACH Deutschland, Österreich, Schweiz

SIREUS GROUP GmbH Am Wickenstück 15

61462 Königstein i.Ts. Germany Fon +49 6174 / 99393-0 info@sireusgroup.com www.sireusgroup.com

ECUADOR

MACROQUIL S.A.

Isla San Cristóbal 780. Quito 170137, Fcuador Tel: +593 2-224-4068 info@macroquil.com

EL SALVADOR

SIT SISTEMAS DE INTEGRACION TECNOLOGICOS. Tel 503-284-9108

SAN SALVADOR, EL SALVADOR

GHANA, WEST AFRICA

IM Technologies

Ph: +233576547760, +233543514453 2nd darko lane north kaneshie point 4 Accra. Accra, Ghana info@imtechnologiesgh.com Skype:isaac863

GUATEMALA

COSESA

Guatemala, Guatemala (502) 2360-0880, ventas@setelco.com.gt www.cosesa.com.gt

INDIA, BHUTAN, NEPAL, SRI LANKA

TRADESEC NDIA PVT LIMITED

Office - 07/08.4th Floor, Shivam Trade Center Near Kalali Fatak, Suburb: Opp. Sai baba School Vadodara, Gujarat 390012 Mobile: +91 99250-04472 www.tradesecmcdi.com india@tradesec.in

ITALIA

VOYAGER s.r.l.

via Rivani, 37/b 40138 Bologna www.voyager-srl.it f.bassi@voyager-srl.it

LITHUANIA

TOPKODAS, JSC

LT-54311, Kauno r. Lithuania Ph: +370 655 58449 sales@topkodas.lt | info@topkodas.lt

MAURITANIE, Afrique francophone

KREBICHA SECURITE

250B zone université, Tevragh Zeina, Nouakchott, Mauritanie Tel: 00 (222) 45245037 krebichasecurite@gmail.com www.krebichasecurite.com

MAURITANIE, Afrique francophone

KREBICHA SECURITE

250B zone université, Tevragh Zeina, Nouakchott, Mauritanie Tel: 00 (222) 45245037 krebichasecurite@gmail.com www.krebichasecurite.com

Middle East

ACTS

distribution@acts-creative.com www.acts-creative.com Tel # U.A.E: +971 4 2887501 Mobile #: India: +91 8125 898 170

PAKISTAN

Developer of SECURITHOR-Odoo Solution

AARSOL Private Limited

3401, 3rd Floor. National Science & Technology Park Islamabad 44000 PAKISTAN Ghulam Rasul skype: gr.dunya Cell 00923444440196 ghulam.rasul@aarsol.com

PERU

DSS Digital Security Systems Tel: +591 3 335 3800 dss.com.bo

PORTUGAL, Angola, Brasil, Cabo Verde, São Tomé and Príncipe

SANCO

Sérgio Lapa sanco@sanco.pt Rua dos Lagos, 545, 4405 - 875 Vila Nova de Gaia +351 223 710 845

ROMANIA. MOLDOVA

VELSIGUR SRL

Vlad Velicu Piatra Neamt office@velsigur.ro 0040.744.123.047

SWEDEN

OBECOM

Öberg Communication AB Romma Bengtsgattu 5 SE-793 91 Leksand Sweden +46-70 212 26 63 bert.oberg@obecom.se

UNITED STATES

AL ARMSOFT

576 N Birdneck Rd #106 Virginia Beach, VA 23451 sales@alarmsoft.com Phone: (757) 226-7226

MONTGOMERY AMES Associates

Representative in New England and NY Blair Ames blair@montgomeryames.com Wareham, MA 02571 PH: 1 (617) 464-3600 Mobile: 1 (781) 910-7015

MCDI SP products are also sold directly ... in many countries where MCDI SP is not represented. Contact us at: sales@mcdi.com +514-481-1067

BECOMING A MCDI DEALER:

We are currently looking for resellers in several countries. If you think your organization can benefit from reselling MCDI SP products, contact us with a brief presentation of your company, your local market and products you already represent at: dealership@mcdi.com +514-481-1067

